

 土木工程拓展署
Civil Engineering and
Development Department

Environmental Monitoring and Audit for Contaminated Mud Pit at Sha Chau (2009-2013) – Investigation Agreement No. CE 4/2009(EP)

13th Monthly Progress Report for Contaminated Mud Pits at Sha Chau – July 2010

Revision 0

1 September 2010

Environmental Resources Management
21/F Lincoln House
Taikoo Place, 979 King's Road
Island East, Hong Kong
Telephone 2271 3000
Facsimile 2723 5660

www.erm.com





**Environmental Resources
Management**





21/F Lincoln House
979 King's Road
Taikoo Place
Island East
Hong Kong
Telephone: (852) 2271 3000
Facsimile: (852) 2723 5660
E-mail: post.hk@erm.com
http://www.erm.com

Environmental Monitoring and Audit for Contaminated Mud Pit at Sha Chau (2009-2013) – Investigation

13th Monthly Progress Report for Contaminated Mud Pits at Sha Chau – July 2010

Revision 0

Document Code: 0103262 July 10 Monthly Report_v 0.doc

Client: Civil Engineering and Development Department (CEDD)		Project No: 0103262			
Summary: This document presents progress of monitoring works on contaminated mud pits at Sha Chau in July 2010 under Agreement No. CE 4/2009 (EP).		Date: 1 September 2010			
		Approved by:  <i>Dr Robin Kennish</i> Director			
0	13 th Monthly Progress Report for CMP – Revision 0	JT	CAR	RK	1/9/10
Revision	Description	By	Checked	Approved	Date
<p>This report has been prepared by Environmental Resources Management the trading name of 'ERM Hong-Kong, Limited', with all reasonable skill, care and diligence within the terms of the Contract with the client, incorporating our General Terms and Conditions of Business and taking account of the resources devoted to it by agreement with the client.</p> <p>We disclaim any responsibility to the client and others in respect of any matters outside the scope of the above.</p> <p>This report is confidential to the client and we accept no responsibility of whatsoever nature to third parties to whom this report, or any part thereof, is made known. Any such party relies on the report at their own risk.</p>		<p>Distribution</p> <p><input checked="" type="checkbox"/> Internal</p> <p><input checked="" type="checkbox"/> Public</p> <p><input type="checkbox"/> Confidential</p>			
		  			



Agreement No. CE 4/2009 (EP)
Environmental Monitoring and Audit
for Contaminated Mud Pit at Sha Chau (2009-2013) - Investigation

13th MONTHLY PROGRESS REPORT FOR CONTAMINATED MUD PITS
AT SHA CHAU - July 2010

1.1 BACKGROUND

Since 1992, the East of Sha Chau area has been the site of a series of dredged contaminated mud pits (CMPs) designed to provide confined marine disposal capacity for contaminated mud arising from the HKSAR's dredging and reclamation projects. CMP IVc is presently in operation for backfilling by contaminated mud and is anticipated to reach its capacity in 2010. A series of four newly constructed seabed pits at the East of Sha Chau area, CMP Va-d, will be provided for the disposal of contaminated mud after CMP IVc is full. Dredging operations are now taking place to construct CMP Va-b. The environmental monitoring and audit (EM&A) programme for the CMPs at the East of Sha Chau area presently covers disposal operations at CMP IVc and dredging operations at CMP V.

1.2 REPORTING PERIOD

This *Monthly Progress Report* covers the monitoring period of July 2010.

1.3 DETAILS OF SAMPLING AND LABORATORY TESTING ACTIVITIES

Demersal Trawling was conducted on 28-29 July 2010 for CMP IVc. *Water Column Profiling* was not conducted for CMP IVc since there was no disposal activity during the scheduled monitoring events on 27 and 31 July 2010. For CMP V, sampling for *Impact Water Quality Monitoring during Dredging Operations* was conducted on 2, 5, 7, 9, 12, 14, 16, 19, 23, 26, 28 and 30 July 2010. A summary of field activities are presented in *Annex A*.

A summary of laboratory analysis results submitted by the Contractor in this reporting month is presented in *Table 1.1*.

Table 1.1 *Summary of laboratory analysis results submitted by the Contractor during the reporting month*

Key Task	Monitoring Component	Results Received from the Contractor
CMP V		
Water Sampling and Chemical Analysis	Impact Monitoring during Dredging Operations	June's sampling: 16 July 2010

1.4 DETAILS OF OUTSTANDING SAMPLING AND / OR ANALYSIS

No outstanding sampling and laboratory analysis remained from July 2010.

1.5 BRIEF DISCUSSION OF THE MONITORING RESULTS

Results of *Impact Water Quality Monitoring during Dredging Operations* for July 2010 are presented for CMP V. Detailed results will be discussed in the relevant *Quarterly Reports*.

1.5.1 CMP V

Impact Water Quality Monitoring during Dredging Operations of CMP V – July 2010

Impact Water Quality Monitoring during Dredging Operations of CMP V was conducted for three times per week in this reporting month. On each survey day, sampling was conducted during both mid-ebb and mid-flood tides at two Reference (Upstream) stations upstream and five Impact (Downstream) stations downstream of the dredging operations at CMP V. Monitoring was also conducted at the Ma Wan station. At each station, *in-situ* measurements of water quality parameters as well as water samples were taken from three depths in the water column (ie surface: 1 m below sea surface, mid-depth and bottom: 1 m above the seabed).

Monitoring results are presented in *Figures 1 to 48 of Annex B*. Generally, levels of DO, depth-average Turbidity and TSS complied with the Action and Limit Levels set in the *Baseline Monitoring Report*⁽¹⁾ (*Table B1 of Annex B*). However, occasional exceedances of Action and Limit Levels were recorded. For bottom DO level, isolated exceedances of Action Level were recorded during the mid-ebb tide at station DS4 and DS5 on 7 July and at station DS4 only on 9 July 2010. Exceedances were not recorded for stations DS1-3 which are closer to the dredging works area, therefore, the exceedances recorded at DS4 and DS5 are unlikely to be caused by the dredging works of CMP V. For Turbidity, exceedances of Action Level were recorded at station DS1 during the mid-flood tide on 9 and 12 July 2010. For TSS, exceedances of Limit Level were recorded during the mid-flood tide at station DS1 on 9 and 12 July while exceedance of Action Level was recorded at DS3 on 12 July 2010 during the same tidal period. It should be noted that the dredging works were undertaken at CMP Va on 9 July and at CMP Vb on 12 July 2010. On the previous and following sampling days of these dredging operations (7 and 14 July, respectively), although similar works were being conducted, there were no exceedances at any of the above stations. Therefore, these exceedances were unlikely to be caused by the dredging works of CMP V.

In accordance with the requirements of the EM&A Manual, CEDD is in discussion with the Environmental Protection Department (EPD) as to what appropriate actions are to be taken due to the record of exceedances of water quality Action and Limit Levels. Measures taken will be reported in due course.

(1) ERM (2009) Baseline Monitoring Report. Environmental Monitoring and Audit for Contaminated Mud Pit at Sha Chau (2009-2013) – Investigation. Agreement No. CE 4/2009(EP). Submitted to EPD in September 2009.

1.6

ACTIVITIES SCHEDULED FOR THE NEXT MONTH

The following monitoring activities will be conducted in the next monthly period of August 2010:

CMP IVc

- *Water Column Profiling;*
- *Routine Water Quality Monitoring;*
- *Water Quality Monitoring for Capping Activity;*
- *Pit Specific Sediment Chemistry Monitoring;*
- *Cumulative Impact Sediment Chemistry Monitoring;*
- *Sediment Toxicity Testing;*
- *Demersal Trawling; and,*
- *Benthic Recolonisation Monitoring.*

CMP V

- *Impact Water Quality Monitoring during Dredging.*

The sampling schedule is presented in *Annex A*.

1.7

STUDY PROGRAMME

A summary of the Study programme is presented in *Annex C*.

Annex A

Sampling Schedule

Pit Specific Sediment Chemistry	Code	Frequency	2009					2010											
			J	A	S	O	N	D	J	F	M	A	M	J	J	A	S	O	N
Active-Pit	NCA 1-8	3 times per year	*					*				*				*			
	NCB 1-8	3 times per year	*					*				*				*			
Pit-Edge	CPA 1-8	3 times per year	*					*				*				*			
	CPB 1-8	3 times per year	*					*				*				*			
Near-Pit	CNA 1-8	3 times per year	*					*				*				*			
	CNB 1-8	3 times per year	*					*				*				*			

Cumulative Impact Sediment Chemistry	Code	Frequency	2009					2010											
			J	A	S	O	N	D	J	F	M	A	M	J	J	A	S	O	N
Near-field Stations	RNA 1-9	2 times per year					*					*				*			
	RNB 1-9	2 times per year					*					*				*			
Mid-field Stations	RMA 1-9	2 times per year					*					*				*			
	RMB 1-9	2 times per year					*					*				*			
Capped Pit Stations	RCA 1-9	2 times per year					*					*				*			
	RCB 1-9	2 times per year					*					*				*			
Far-Field Stations	RFA 1-9	2 times per year					*					*				*			
	RFB 1-9	2 times per year					*					*				*			

Sediment Toxicity Tests	Code	Frequency	2009					2010												
			J	A	S	O	N	D	J	F	M	A	M	J	J	A	S	O	N	D
Near-Field Stations	TCA	2 times per year						3								3				3
	TCB	2 times per year						3								3				3
Reference Stations	TRA	2 times per year						3								3				3
	TRB	2 times per year						3								3				3

Tissue/ Whole Body Sampling	Code	Frequency	2009					2010												
			J	A	S	O	N	D	J	F	M	A	M	J	J	A	S	O	N	D
Near-Pit Stations	INA	2 times per year																	*	*
	INB	2 times per year																	*	*
Reference North	TNA	2 times per year																	*	*
	TNB	2 times per year																	*	*
Reference South	TSA	2 times per year																	*	*
	TSB	2 times per year																	*	*

Demersal Trawling	Code	Frequency	2009					2010												
			J	A	S	O	N	D	J	F	M	A	M	J	J	A	S	O	N	D
Near Pit Stations	INA 1-5	4 times per year	5	5				5	5					5	5					
	INB 1-5	4 times per year	5	5				5	5					5	5					
Reference North	TNA 1-5	4 times per year	5	5				5	5					5	5					
	TNB 1-5	4 times per year	5	5				5	5					5	5					
Reference South	TSA 1-5	4 times per year	5	5				5	5					5	5					
	TSB 1-5	4 times per year	5	5				5	5					5	5					

Capping	Code	Frequency	2009					2010												
			J	A	S	O	N	D	J	F	M	A	M	J	J	A	S	O	N	D
<i>Ebb Tide</i>																				
Impact Station Downcurrent	IPE1	4 times per year	3	3				3	3					3	3					3
	IPE2	4 times per year	3	3				3	3					3	3					3
	IPE3	4 times per year	3	3				3	3					3	3					3
	IPE4	4 times per year	3	3				3	3					3	3					3
	Intermediate Station Downcurrent	IPC1	4 times per year	3	3				3	3					3	3				
Reference Station Upcurrent	INE1	4 times per year	3	3				3	3					3	3					3
	INE2	4 times per year	3	3				3	3					3	3					3
	INE3	4 times per year	3	3				3	3					3	3					3
	INE4	4 times per year	3	3				3	3					3	3					3
	INE5	4 times per year	3	3				3	3					3	3					3
Reference Station Upcurrent	RFE1	4 times per year	3	3				3	3					3	3					3
	RFE2	4 times per year	3	3				3	3					3	3					3
	RFE3	4 times per year	3	3				3	3					3	3					3
	RFE4	4 times per year	3	3				3	3					3	3					3
	RFE5	4 times per year	3	3				3	3					3	3					3
<i>Flood Tide</i>																				
Impact Station Downcurrent	INF1	4 times per year	3	3				3	3					3	3					3
	IPC2	4 times per year	3	3				3	3					3	3					3
	INF3	4 times per year	3	3				3	3					3	3					3
Intermediate Station Downcurrent	IPF1	4 times per year	3	3				3	3					3	3					3
	IPF2	4 times per year	3	3				3	3					3	3					3
	IPF3	4 times per year	3	3				3	3					3	3					3
Reference Station Upcurrent	RFF1	4 times per year	3	3				3	3					3	3					3
	RFF2	4 times per year	3	3				3	3					3	3					3
	RFF3	4 times per year	3	3				3	3					3	3					3

Routine Water Quality Monitoring	Code	Frequency	2009					2010												
			J	A	S	O	N	D	J	F	M	A	M	J	J	A	S	O	N	D
<i>Ebb Tide</i>																				
Impact Station Downcurrent	IPE1	2 times per year														*				*
	IPE2	2 times per year													*				*	*
	IPE3	2 times per year													*				*	*
	IPE4	2 times per year													*				*	*
	IPE5	2 times per year													*				*	*
Intermediate Station Downcurrent	INE1	2 times per year													*				*	*
	INE2	2 times per year													*				*	*
	INE3	2 times per year													*				*	*
	INE4	2 times per year													*				*	*
	INE5	2 times per year													*				*	*
Reference Station Upcurrent	RFE1	2 times per year													*				*	*
	RFE2	2 times per year													*				*	*
	RFE3	2 times per year													*				*	*
	RFE4	2 times per year													*				*	*
	RFE5	2 times per year													*				*	*
<i>Flood Tide</i>																				
Impact Station Downcurrent	INF1	2 times per year													*				*	*
	INF2	2 times per year													*				*	*
	INF3	2 times per year													*				*	*
Intermediate Station Downcurrent	IPF1	2 times per year													*				*	*
	IPF2	2 times per year													*				*	*
	IPF3	2 times per year													*				*	*
Reference Station Upcurrent	RFF1	2 times per year													*				*	*
	RFF2	2 times per year													*				*	*
	RFF3	2 times per year													*				*	*

Water Column Profiling	Code	Frequency	2009					2010												
			J	A	S	O	N	D	J	F	M	A	M	J	J	A	S	O	N	D
Plume Stations	WCP1	6 times per year						2	2	2					2	2	2			2
	WCP2	6 times per year						2	2	2					2	2	2			2

Benthic Recolonisation Studies	Code	Frequency	2009					2010												
			J	A	S	O	N	D	J	F	M	A	M	J	J	A	S	O	N	D
Capped Contaminated Mud Pits	CPA 1-3	2 times per year						3							3					3
	CPB 1-3	2 times per year						3							3					3
	CPC 1-3	2 times per year						3							3					3
Reference Stations	RBA 1-3	2 times per year						3							3					3
	RBB 1-3	2 times per year						3							3					3
	RBC 1-3	2 times per year						3							3					3



* = Number of replicates depends on field catch or parameters Sampling completed

Annex A2 - East of Sha Chau Environmental Monitoring and Audit Sampling Schedule for CMP V (July 2009 - December 2010)

		2009						2010											
Baseline Water Quality Monitoring		J	A	S	O	N	D	J	F	M	A	M	J	J	A	S	O	N	D
Near Field	ESC-WNAA	*	*																
	ESC-WNAB	*	*																
	ESC-WNAC	*	*																
	ESC-WNAD	*	*																
	ESC-WNBA	*	*																
	ESC-WNBB	*	*																
	ESC-WNBC	*	*																
ESC-WNBD	*	*																	
Mid Field	ESC-WMB	*	*																
	ESC-WMA	*	*																
Far Field	ESC-WFA	*	*																
	ESC-WFB	*	*																
	MW1	*	*																
Reference Stations	NM1	*	*																
	NM2	*	*																
	NM3	*	*																
	NM5	*	*																
	NM6	*	*																

Water Column Profiling		J	A	S	O	N	D	J	F	M	A	M	J	J	A	S	O	N	D	
Plume Stations	Upstream			2	2	2	2	2	2											
	Downstream			2	2	2	2	2	2											

Water Quality Impact Monitoring for Dredging		J	A	S	O	N	D	J	F	M	A	M	J	J	A	S	O	N	D	
Downcurrent Impact Stations	1			*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	2			*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	3			*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	4			*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	5			*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Upcurrent Stations	1			*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	2			*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	MW1			*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*

 Sampling completed
 Sampling to be completed

Annex B

Monitoring Results

Impact Monitoring during Dredging for CMP V – 2 July 2010




Figure 1: Bottom DO level (mean + SD) at Downstream (DS1, DS2, DS3, DS4 and DS5), Upstream (US1 and US2) and Ma Wan (MW1) stations during Impact Monitoring for Dredging at CMP V on 2 July 2010.

Impact Monitoring during Dredging for CMP V – 2 July 2010




Figure 2: DO level at Surface and Mid-depth (mean + SD) at Downstream (DS1, DS2, DS3, DS4 and DS5), Upstream (US1 and US2) and Ma Wan (MW1) stations during Impact Monitoring for Dredging at CMP V on 2 July 2010.

Impact Monitoring during Dredging for CMP V – 2 July 2010




Figure 3: Depth-average Turbidity (mean + SD) at Downstream (DS1, DS2, DS3, DS4 and DS5), Upstream (US1 and US2) and Ma Wan (MW1) stations during Impact Monitoring for Dredging at CMP V on 2 July 2010.

Impact Monitoring during Dredging for CMP V – 2 July 2010




Figure 4: Depth-average TSS (mean + SD) at Downstream (DS1, DS2, DS3, DS4 and DS5), Upstream (US1 and US2) and Ma Wan (MW1) stations during Impact Monitoring for Dredging at CMP V on 2 July 2010.




Figure 5: Bottom DO level (mean + SD) at Downstream (DS1, DS2, DS3, DS4 and DS5), Upstream (US1 and US2) and Ma Wan (MW1) stations during Impact Monitoring for Dredging at CMP V on 5 July 2010.




Figure 6: DO level at Surface and Mid-depth (mean + SD) at Downstream (DS1, DS2, DS3, DS4 and DS5), Upstream (US1 and US2) and Ma Wan (MW1) stations during Impact Monitoring for Dredging at CMP V on 5 July 2010.

Impact Monitoring during Dredging for CMP V – 5 July 2010




Figure 7: Depth-average Turbidity (mean + SD) at Downstream (DS1, DS2, DS3, DS4 and DS5), Upstream (US1 and US2) and Ma Wan (MW1) stations during Impact Monitoring for Dredging at CMP V on 5 July 2010.

Impact Monitoring during Dredging for CMP V – 5 July 2010




Figure 8: Depth-average TSS (mean + SD) at Downstream (DS1, DS2, DS3, DS4 and DS5), Upstream (US1 and US2) and Ma Wan (MW1) stations during Impact Monitoring for Dredging at CMP V on 5 July 2010.




Figure 9: Bottom DO level (mean + SD) at Downstream (DS1, DS2, DS3, DS4 and DS5), Upstream (US1 and US2) and Ma Wan (MW1) stations during Impact Monitoring for Dredging at CMP V on 7 July 2010.




Figure 10: DO level at Surface and Mid-depth (mean + SD) at Downstream (DS1, DS2, DS3, DS4 and DS5), Upstream (US1 and US2) and Ma Wan (MW1) stations during Impact Monitoring for Dredging at CMP V on 7 July 2010.

Impact Monitoring during Dredging for CMP V – 7 July 2010




Figure 11: Depth-average Turbidity (mean + SD) at Downstream (DS1, DS2, DS3, DS4 and DS5), Upstream (US1 and US2) and Ma Wan (MW1) stations during Impact Monitoring for Dredging at CMP V on 7 July 2010.

Impact Monitoring during Dredging for CMP V – 7 July 2010




Figure 12: Depth-average TSS (mean + SD) at Downstream (DS1, DS2, DS3, DS4 and DS5), Upstream (US1 and US2) and Ma Wan (MW1) stations during Impact Monitoring for Dredging at CMP V on 7 July 2010.




Figure 13: Bottom DO level (mean + SD) at Downstream (DS1, DS2, DS3, DS4 and DS5), Upstream (US1 and US2) and Ma Wan (MW1) stations during Impact Monitoring for Dredging at CMP V on 9 July 2010.




Figure 14: DO level at Surface and Mid-depth (mean + SD) at Downstream (DS1, DS2, DS3, DS4 and DS5), Upstream (US1 and US2) and Ma Wan (MW1) stations during Impact Monitoring for Dredging at CMP V on 9 July 2010.

Impact Monitoring during Dredging for CMP V – 9 July 2010




Figure 15: Depth-average Turbidity (mean + SD) at Downstream (DS1, DS2, DS3, DS4 and DS5), Upstream (US1 and US2) and Ma Wan (MW1) stations during Impact Monitoring for Dredging at CMP V on 9 July 2010.

Impact Monitoring during Dredging for CMP V – 9 July 2010




Figure 16: Depth-average TSS (mean + SD) at Downstream (DS1, DS2, DS3, DS4 and DS5), Upstream (US1 and US2) and Ma Wan (MW1) stations during Impact Monitoring for Dredging at CMP V on 9 July 2010.




Figure 17: Bottom DO level (mean + SD) at Downstream (DS1, DS2, DS3, DS4 and DS5), Upstream (US1 and US2) and Ma Wan (MW1) stations during Impact Monitoring for Dredging at CMP V on 12 July 2010.




Figure 18: DO level at Surface and Mid-depth (mean + SD) at Downstream (DS1, DS2, DS3, DS4 and DS5), Upstream (US1 and US2) and Ma Wan (MW1) stations during Impact Monitoring for Dredging at CMP V on 12 July 2010.

Impact Monitoring during Dredging for CMP V – 12 July 2010




Figure 19: Depth-average Turbidity (mean + SD) at Downstream (DS1, DS2, DS3, DS4 and DS5), Upstream (US1 and US2) and Ma Wan (MW1) stations during Impact Monitoring for Dredging at CMP V on 12 July 2010.

Impact Monitoring during Dredging for CMP V – 12 July 2010




Figure 20: Depth-average TSS (mean + SD) at Downstream (DS1, DS2, DS3, DS4 and DS5), Upstream (US1 and US2) and Ma Wan (MW1) stations during Impact Monitoring for Dredging at CMP V on 12 July 2010.

Source: H:\Team\EM\GMS Projects\0103262 CEDD EM&A for CMP at Sha Chau (2009 - 2013)\06 Contractor Submission (LAM)\06.2 Impact Monitoring during Dredging\July 2010

Date: 20/08/2010

Environmental
Resources
Management






Figure 21: Bottom DO level (mean + SD) at Downstream (DS1, DS2, DS3, DS4 and DS5), Upstream (US1 and US2) and Ma Wan (MW1) stations during Impact Monitoring for Dredging at CMP V on 14 July 2010.




Figure 22: DO level at Surface and Mid-depth (mean + SD) at Downstream (DS1, DS2, DS3, DS4 and DS5), Upstream (US1 and US2) and Ma Wan (MW1) stations during Impact Monitoring for Dredging at CMP V on 14 July 2010.

Impact Monitoring during Dredging for CMP V – 14 July 2010




Figure 23: Depth-average Turbidity (mean + SD) at Downstream (DS1, DS2, DS3, DS4 and DS5), Upstream (US1 and US2) and Ma Wan (MW1) stations during Impact Monitoring for Dredging at CMP V on 14 July 2010.

Impact Monitoring during Dredging for CMP V – 14 July 2010




Figure 24: Depth-average TSS (mean + SD) at Downstream (DS1, DS2, DS3, DS4 and DS5), Upstream (US1 and US2) and Ma Wan (MW1) stations during Impact Monitoring for Dredging at CMP V on 14 July 2010.




Figure 25: Bottom DO level (mean + SD) at Downstream (DS1, DS2, DS3, DS4 and DS5), Upstream (US1 and US2) and Ma Wan (MW1) stations during Impact Monitoring for Dredging at CMP V on 16 July 2010.




Figure 26: DO level at Surface and Mid-depth (mean + SD) at Downstream (DS1, DS2, DS3, DS4 and DS5), Upstream (US1 and US2) and Ma Wan (MW1) stations during Impact Monitoring for Dredging at CMP V on 16 July 2010.

Impact Monitoring during Dredging for CMP V – 16 July 2010




Figure 27: Depth-average Turbidity (mean + SD) at Downstream (DS1, DS2, DS3, DS4 and DS5), Upstream (US1 and US2) and Ma Wan (MW1) stations during Impact Monitoring for Dredging at CMP V on 16 July 2010.

Impact Monitoring during Dredging for CMP V – 16 July 2010




Figure 28: Depth-average TSS (mean + SD) at Downstream (DS1, DS2, DS3, DS4 and DS5), Upstream (US1 and US2) and Ma Wan (MW1) stations during Impact Monitoring for Dredging at CMP V on 16 July 2010.




Figure 29: Bottom DO level (mean + SD) at Downstream (DS1, DS2, DS3, DS4 and DS5), Upstream (US1 and US2) and Ma Wan (MW1) stations during Impact Monitoring for Dredging at CMP V on 19 July 2010.




Figure 30: DO level at Surface and Mid-depth (mean + SD) at Downstream (DS1, DS2, DS3, DS4 and DS5), Upstream (US1 and US2) and Ma Wan (MW1) stations during Impact Monitoring for Dredging at CMP V on 19 July 2010.

Impact Monitoring during Dredging for CMP V – 19 July 2010




Figure 31: Depth-average Turbidity (mean + SD) at Downstream (DS1, DS2, DS3, DS4 and DS5), Upstream (US1 and US2) and Ma Wan (MW1) stations during Impact Monitoring for Dredging at CMP V on 19 July 2010.

Impact Monitoring during Dredging for CMP V – 19 July 2010




Figure 32: Depth-average TSS (mean + SD) at Downstream (DS1, DS2, DS3, DS4 and DS5), Upstream (US1 and US2) and Ma Wan (MW1) stations during Impact Monitoring for Dredging at CMP V on 19 July 2010.




Figure 33: Bottom DO level (mean + SD) at Downstream (DS1, DS2, DS3, DS4 and DS5), Upstream (US1 and US2) and Ma Wan (MW1) stations during Impact Monitoring for Dredging at CMP V on 23 July 2010.




Figure 34: DO level at Surface and Mid-depth (mean + SD) at Downstream (DS1, DS2, DS3, DS4 and DS5), Upstream (US1 and US2) and Ma Wan (MW1) stations during Impact Monitoring for Dredging at CMP V on 23 July 2010.

Impact Monitoring during Dredging for CMP V – 23 July 2010




Figure 35: Depth-average Turbidity (mean + SD) at Downstream (DS1, DS2, DS3, DS4 and DS5), Upstream (US1 and US2) and Ma Wan (MW1) stations during Impact Monitoring for Dredging at CMP V on 23 July 2010.

Impact Monitoring during Dredging for CMP V – 23 July 2010




Figure 36: Depth-average TSS (mean + SD) at Downstream (DS1, DS2, DS3, DS4 and DS5), Upstream (US1 and US2) and Ma Wan (MW1) stations during Impact Monitoring for Dredging at CMP V on 23 July 2010.

Impact Monitoring during Dredging for CMP V – 26 Jul 2010




Figure 37: Bottom DO level (mean + SD) at Downstream (DS1, DS2, DS3, DS4 and DS5), Upstream (US1 and US2) and Ma Wan (MW1) stations during Impact Monitoring for Dredging at CMP V on 26 July 2010.

Impact Monitoring during Dredging for CMP V – 26 July 2010




Figure 38: DO level at Surface and Mid-depth (mean + SD) at Downstream (DS1, DS2, DS3, DS4 and DS5), Upstream (US1 and US2) and Ma Wan (MW1) stations during Impact Monitoring for Dredging at CMP V on 26 July 2010.

Source: H:\Team\EM\GMS Projects\0103262 CEDD EM&A for CMP at Sha Chau (2009 - 2013)\06 Contractor Submission (LAM)\06.2 Impact Monitoring during Dredging\July 2010

Date: 20/08/2010

**Environmental
Resources
Management**



Impact Monitoring during Dredging for CMP V – 26 July 2010




Figure 39: Depth-average Turbidity (mean + SD) at Downstream (DS1, DS2, DS3, DS4 and DS5), Upstream (US1 and US2) and Ma Wan (MW1) stations during Impact Monitoring for Dredging at CMP V on 26 July 2010.

Impact Monitoring during Dredging for CMP V – 26 July 2010




Figure 40: Depth-average TSS (mean + SD) at Downstream (DS1, DS2, DS3, DS4 and DS5), Upstream (US1 and US2) and Ma Wan (MW1) stations during Impact Monitoring for Dredging at CMP V on 26 July 2010.

Impact Monitoring during Dredging for CMP V – 28 Jul 2010




Figure 41: Bottom DO level (mean + SD) at Downstream (DS1, DS2, DS3, DS4 and DS5), Upstream (US1 and US2) and Ma Wan (MW1) stations during Impact Monitoring for Dredging at CMP V on 28 July 2010.

Impact Monitoring during Dredging for CMP V – 28 July 2010




Figure 42: DO level at Surface and Mid-depth (mean + SD) at Downstream (DS1, DS2, DS3, DS4 and DS5), Upstream (US1 and US2) and Ma Wan (MW1) stations during Impact Monitoring for Dredging at CMP V on 28 July 2010.

Source: H:\Team\EM\GMS Projects\0103262 CEDD EM&A for CMP at Sha Chau (2009 - 2013)\06 Contractor Submission (LAM)\06.2 Impact Monitoring during Dredging\July 2010

Date: 20/08/2010

**Environmental
Resources
Management**



Impact Monitoring during Dredging for CMP V – 28 July 2010




Figure 43: Depth-average Turbidity (mean + SD) at Downstream (DS1, DS2, DS3, DS4 and DS5), Upstream (US1 and US2) and Ma Wan (MW1) stations during Impact Monitoring for Dredging at CMP V on 28 July 2010.

Impact Monitoring during Dredging for CMP V – 28 July 2010




Figure 44: Depth-average TSS (mean + SD) at Downstream (DS1, DS2, DS3, DS4 and DS5), Upstream (US1 and US2) and Ma Wan (MW1) stations during Impact Monitoring for Dredging at CMP V on 28 July 2010.

Impact Monitoring during Dredging for CMP V – 30 Jul 2010




Figure 45: Bottom DO level (mean + SD) at Downstream (DS1, DS2, DS3, DS4 and DS5), Upstream (US1 and US2) and Ma Wan (MW1) stations during Impact Monitoring for Dredging at CMP V on 30 July 2010.

Impact Monitoring during Dredging for CMP V – 30 July 2010




Figure 46: DO level at Surface and Mid-depth (mean + SD) at Downstream (DS1, DS2, DS3, DS4 and DS5), Upstream (US1 and US2) and Ma Wan (MW1) stations during Impact Monitoring for Dredging at CMP V on 30 July 2010.

Source: H:\Team\EM\GMS Projects\0103262 CEDD EM&A for CMP at Sha Chau (2009 - 2013)\06 Contractor Submission (LAM)\06.2 Impact Monitoring during Dredging\July 2010

Date: 20/08/2010

Environmental
Resources
Management



Impact Monitoring during Dredging for CMP V – 30 July 2010




Figure 47: Depth-average Turbidity (mean + SD) at Downstream (DS1, DS2, DS3, DS4 and DS5), Upstream (US1 and US2) and Ma Wan (MW1) stations during Impact Monitoring for Dredging at CMP V on 30 July 2010.

Impact Monitoring during Dredging for CMP V – 30 July 2010




Figure 48: Depth-average TSS (mean + SD) at Downstream (DS1, DS2, DS3, DS4 and DS5), Upstream (US1 and US2) and Ma Wan (MW1) stations during Impact Monitoring for Dredging at CMP V on 30 July 2010.

Table B1

Summary Table of DO, Turbidity and TSS Levels recorded in July 2010

Sampling Date	Tidal Period	Station	Average DO Levels (mg/L)		Average Turbidity Level (NTU)	Average TSS Level (mg/L)	
			Bottom	Surface and Mid Depth			
2010/07/02	ME	DS1	3.66	6.11	11.48	11.17	
		DS2	4.48	7.13	8.89	10.33	
		DS3	4.25	6.54	12.41	15.33	
		DS4	4.16	6.51	8.89	10.17	
		DS5	4.21	6.36	7.06	7.67	
		MW1	4.57	10.48	6.05	13.33	
		US1	4.32	6.39	6.84	6.83	
		US2	4.04	6.10	9.79	10.67	
		MF	DS1	4.15	5.32	10.91	10.33
	DS2		4.10	5.17	7.53	6.50	
	DS3		4.49	4.94	6.63	4.50	
	DS4		4.32	4.61	6.48	6.17	
	DS5		4.14	4.61	6.63	6.50	
	MW1		3.72	4.88	4.81	4.50	
	US1		6.07	6.23	6.26	6.17	
	US2		4.41	6.06	6.99	6.17	
	2010/07/05		ME	DS1	5.88	10.14	5.53
		DS2		6.02	9.72	8.84	8.50
DS3		5.26		10.14	7.48	7.17	
DS4		3.86		8.34	7.72	10.50	
DS5		3.77		9.09	7.60	9.00	
MW1		3.89		10.30	4.95	8.50	
US1		6.15		9.05	4.23	6.00	
US2		5.34		10.74	5.24	7.00	
MF		DS1		8.41	12.43	7.31	10.17
		DS2	7.76	11.22	8.48	11.50	
		DS3	5.87	9.57	7.91	10.17	
		DS4	5.86	8.06	7.02	7.50	
		DS5	5.56	7.50	7.87	8.50	
		MW1	3.61	7.75	5.05	8.00	
		US1	7.35	11.44	6.87	10.17	
		US2	7.06	11.82	6.05	8.50	
		2010/07/07	ME	DS1	3.06	6.77	6.30
DS2				5.40	8.37	7.02	12.33
DS3	4.94			8.44	7.11	8.33	
DS4	2.51			6.43	7.56	9.83	
DS5	2.66			7.58	5.74	9.83	
MW1	1.88			7.52	3.69	5.83	
US1	4.84			7.74	4.60	6.50	
US2	4.72			7.32	4.83	5.67	
MF	DS1			5.30	7.97	7.84	9.50
	DS2		4.92	7.23	7.04	9.50	
	DS3		5.43	8.25	6.21	6.83	
	DS4		5.59	9.28	6.65	8.67	
	DS5		6.81	9.38	7.18	9.50	
	MW1		2.35	6.66	4.20	5.83	
	US1		5.73	8.38	7.68	10.17	
	US2		9.63	10.06	7.87	9.17	
	2010/07/09		ME	DS1	3.67	6.09	6.00
DS2				3.81	6.16	6.61	7.50
DS3		3.55		6.38	10.01	11.33	
DS4		2.14		6.38	7.57	9.00	
DS5		2.98		7.45	7.82	8.67	

Sampling Date	Tidal Period	Station	Average DO Levels (mg/L)		Average Turbidity Level (NTU)	Average TSS Level (mg/L)
			Bottom	Surface and Mid Depth		
2010/07/09	ME	MW1	1.74	8.21	4.81	6.33
		US1	3.01	5.70	6.38	7.50
		US2	3.23	5.93	5.53	7.67
	MF	DS1	6.07	7.75	37.88	72.00
		DS2	7.30	7.92	12.22	19.83
		DS3	6.21	8.36	10.97	14.17
		DS4	5.54	8.09	8.50	10.00
		DS5	4.92	7.43	9.69	10.50
		MW1	2.37	3.90	7.46	13.17
		US1	6.58	9.27	12.07	14.50
2010/07/12	MF	US2	5.92	8.34	13.19	13.50
		DS1	5.39	6.30	35.22	66.17
		DS2	4.84	5.65	19.36	37.00
		DS3	4.06	5.49	19.99	55.67
		DS4	3.73	5.06	16.90	15.00
		DS5	3.80	4.79	14.06	17.50
		MW1	3.64	4.15	13.60	22.50
		US1	4.99	6.30	21.67	28.83
		US2	4.78	6.85	16.39	20.00
		2010/07/14	ME	DS1	4.49	5.22
DS2	4.67			5.36	10.95	14.00
DS3	4.51			5.19	17.27	22.00
DS4	4.42			5.14	13.65	17.00
DS5	4.56			5.05	11.20	11.83
MW1	4.42			5.75	6.25	9.50
US1	4.54			5.32	11.59	16.67
MF	US2		4.52	5.18	12.34	15.67
	DS1		4.07	4.48	12.29	15.33
	DS2		4.16	4.96	13.82	18.33
	DS3		4.10	5.04	11.49	10.67
	DS4		4.37	4.76	7.94	8.00
	DS5		3.92	4.59	10.78	11.17
	MW1		3.40	4.39	11.75	8.83
2010/07/16	ME	US1	3.98	4.51	17.05	20.83
		US2	4.13	4.44	15.76	19.33
		DS1	6.59	6.37	14.76	18.17
		DS2	6.46	5.89	13.94	30.67
		DS3	5.70	5.97	14.38	26.00
		DS4	5.40	5.94	11.92	16.00
		DS5	5.30	6.58	11.53	17.67
	MF	MW1	5.49	5.97	6.00	9.33
		US1	6.06	5.42	10.44	24.33
		US2	5.68	5.37	10.68	13.83
		DS1	4.41	5.06	17.60	22.33
		DS2	4.61	5.09	14.22	24.83
		DS3	4.62	4.99	11.07	16.33
2010/07/19	ME	DS4	4.45	5.06	8.18	9.50
		DS5	4.42	4.78	9.88	10.00
		MW1	3.93	4.69	5.12	7.50
		US1	4.35	5.06	12.56	17.00
		US2	4.25	5.15	12.29	17.83
		DS1	6.04	8.79	4.94	7.17
		DS2	6.37	8.83	3.94	6.83
2010/07/19	ME	DS3	4.99	7.74	5.60	8.17
		DS4	5.42	8.84	6.13	9.67
		DS5	6.16	8.34	4.94	7.17

Sampling Date	Tidal Period	Station	Average DO Levels (mg/L)		Average Turbidity Level (NTU)	Average TSS Level (mg/L)
			Bottom	Surface and Mid Depth		
2010/07/19	ME	MW1	4.26	8.86	3.61	6.50
		US1	5.49	8.15	5.30	7.50
		US2	5.34	8.13	4.87	6.83
	MF	DS1	5.40	7.15	11.19	15.00
		DS2	5.14	6.82	7.46	9.67
		DS3	5.05	6.19	6.71	8.17
		DS4	5.08	6.67	4.87	7.00
		DS5	5.11	6.36	4.43	5.83
		MW1	4.22	6.53	6.52	10.67
		US1	5.24	7.74	6.75	10.50
2010/07/23	ME	US2	5.20	7.14	7.84	11.67
		DS1	5.09	5.92	7.33	9.33
		DS2	4.93	5.91	9.19	10.17
	MF	DS3	4.82	5.81	9.89	12.50
		DS4	4.49	5.52	8.77	10.50
		DS5	4.98	5.93	7.47	8.83
		MW1	4.84	5.10	3.41	5.33
		US1	4.66	5.84	6.88	7.33
		US2	4.59	5.76	6.59	10.83
		DS1	4.48	5.76	15.68	24.00
2010/07/26	ME	DS2	5.19	6.24	7.75	10.50
		DS3	3.69	6.03	14.69	20.50
		DS4	4.10	5.77	9.69	14.33
	MF	DS5	4.57	5.49	6.81	8.67
		MW1	4.06	4.43	3.20	5.83
		US1	5.07	6.36	7.15	10.50
		US2	4.95	6.23	6.46	10.00
		DS1	4.34	5.04	9.89	13.67
		DS2	4.53	4.87	11.58	13.33
		DS3	4.44	4.84	15.55	19.33
2010/07/28	ME	DS4	4.48	4.90	13.15	15.83
		DS5	4.49	5.03	7.91	8.50
		MW1	4.07	4.34	4.40	6.17
	MF	US1	4.24	5.02	12.37	15.67
		US2	3.95	4.98	11.15	11.83
		DS1	4.06	5.41	19.88	24.67
		DS2	4.44	5.40	11.65	13.33
		DS3	4.29	6.02	7.36	8.00
		DS4	4.38	5.69	7.37	9.50
		DS5	4.15	5.29	10.24	12.33
2010/07/28	ME	MW1	4.10	4.13	7.73	10.00
		US1	4.10	5.28	12.13	13.67
		US2	4.35	5.05	11.55	13.00
	MF	DS1	5.43	5.69	9.57	13.83
		DS2	5.55	5.68	11.11	19.17
		DS3	5.21	5.64	14.38	17.83
		DS4	4.49	5.40	13.69	12.83
		DS5	5.14	5.55	12.18	15.33
		MW1	5.87	5.90	5.91	7.00
		US1	5.44	5.71	8.58	10.17
MF	US2	5.51	5.78	7.75	8.50	
	DS1	5.22	5.95	6.54	8.33	
	DS2	5.04	5.66	6.88	7.33	
	DS3	5.13	5.74	6.58	6.00	
	DS4	5.28	5.75	6.73	6.33	
		DS5	4.87	5.30	6.58	6.00

Sampling Date	Tidal Period	Station	Average DO Levels (mg/L)		Average Turbidity Level (NTU)	Average TSS Level (mg/L)
			Bottom	Surface and Mid Depth		
2010/07/28	MF	MW1	4.07	5.11	4.27	5.00
		US1	4.63	5.22	8.63	11.83
		US2	4.46	5.07	11.51	15.67
2010/07/30	ME	DS1	5.38	5.98	5.67	13.33
		DS2	4.80	5.91	10.05	16.00
		DS3	4.20	5.47	13.57	16.50
		DS4	4.44	5.58	13.49	9.00
		DS5	4.87	5.86	9.95	8.00
		MW1	5.16	6.23	3.92	9.50
		US1	4.82	5.65	9.56	20.50
	MF	US2	5.13	5.88	7.31	15.00
		DS1	4.74	5.39	7.51	7.67
		DS2	4.89	5.38	12.92	14.33
		DS3	4.72	5.49	10.55	15.83
		DS4	4.90	5.39	7.32	15.83
		DS5	4.86	5.35	6.06	11.50
		MW1	4.00	5.24	5.89	4.67
		US1	4.75	5.06	15.44	13.00
US2	4.94	5.28	9.79	10.50		

Notes:

1. Cell shaded yellow indicates value exceeding the Action Level.
2. Cell shaded red indicates value exceeding the Limit Level.

Annex C

Study Programme




Figure 4.1 - Study Programme






Figure 4.1 - Study Programme

